


1. MC28H5013AS/EN

Exploded View




No.	Lvl.	Loc.	Material Code	Description & Specification	SNA	Qty.
5-1	3	H096	DE31-90051A	BLADE-FAN; CE10**,PP,NATURAL,MT44	SA	1
5-2	3	M022	DE61-10006A	COVER BLOWER; PP,PP(TB53),3RD-W(1.3)	SNA	1
5-3	3	M023	DE31-10185A	MOTOR AC FAN; SMF-3RDEA1,2,230V,50Hz,20W,	SA	1
5-4	3	M017	DE96-00399A	ASSY NOISE FILTER; SN-UF11A,250V/15A,250V	SA	1
5-4-1	4	M019	3601-001197	FUSE-CARTRIDGE; 250V,15A,SLOW-BLOW,CERAMI	SA	1
6	2	M155	DE96-00637P	ASSY BASE PLATE; MC287TCTCSQ	SNA	1
6-1	3	M039	2501-001015	C-OIL HIGH VOLTAGE; 1000nF,2100V,BK,34x54	SA	1
6-2	3	M527	DE59-00002A	DIODE-H.V; MWO,2CL4512H/CL04-12A,500mA,12	SA	1
6-3	3	M040	DE61-50106A	BRACKET-HVC; EGI-SECC,T0.8,-	SA	1
6-4	3	M045	DE96-00295M	ASSY BASE PLATE SUB; 5TH/1.0 CONVECTION,-	SNA	1
6-4-1	4	M046	DE60-60025A	PIN-FOOT; MC28H5013AK/BW,PP,NATURAL	SA	4
6-4-2	4	M048	DE61-00557M	BASE PLATE; 5TH/1.0 CONVECTION,GI-SGCC,T0	SA	1
6-4-3	4	M047	DE61-40065A	FOOT; -,PP,T2x22x17mm,BLK,-,-,-	SA	4
6-5	3	M042	DE91-70061A	ASSY H.V.FUSE; THV060T,5KV,800mA,SCREW,WH	SA	1
6-6	3	X009	6006-001176	SCREW-TAPTYPE; PH,+,WT,B,M4,L8,ZPC(WHT),S	SA	2
7	1	Y103	DE94-03133A	ASSY CAVITY COATING; MC28H502MAW/BW,1.0 c	SNA	1
7-1	2		DE94-03134A	ASSY CAVITY WELDING; MC28H502MAW/BW,1.0CU	SNA	1
8	2	P214	DE94-03178A	ASSY BRACKET UPPER; MC28H5013AK/BW,EGI-SE	SNA	1
8-1	3	M003	DE61-01191A	BRACKET-UPPER; 1.0value convec,EGI-SECC,T	SA	1
9	2	M051	DE63-00237A	COVER-CEILING; CE297DN-5,MICA SHEET,T0.3,	SA	1
10	2	M037	DE63-00616A	COVER AIR; CE107V/XEN,PP,HB	SA	1
11	2	P186	DE63-00617A	COVER BACK; 1.0 VALUE CONVECTION,GI-SGCC,	SA	1
12	2	H071	DE47-00055B	HEATER SHEATH-GRILL; AC220V,BKT,1350W,SUS	SA	1
13	2		DE94-03465B	ASSY HOLDER-WIRE; MC28H5015AS/FA,DE96-001	SNA	1
13-1	3	B022	DE94-03750A	ASSY BODY LATCH; NC2K HANDLE TYPE(1.0 CON	SNA	1
13-1-1	4	B024	DE96-00120T	ASSY BODY LATCH SUB; PG117R(TBMO/SIDE),NY	SA	1
13-1-1-1	5		DE72-00137D	LATCH BODY; MC1015WB/BB,PA66,NATURAL,KN33	SNA	1

No.	Lvl.	Loc.	Material Code	Description & Specification	SNA	Qty.
13-1-1-25		B010	DE66-00093B	LEVER SWITCH-A; PG113R,PA66,KN3322VO,BLAC	SA	1
13-1-1-35		B011	DE66-00094B	LEVER SWITCH-B; PG113R,PA66,KN3311,NTR	SA	1
13-1-2	4	B046	3405-001032	SWITCH-MICRO; 125/250VAC,16A,200gf,SPDT,T	SA	1
13-1-3	4	B048	3405-001034	SWITCH-MICRO; 125/250VAC,16A,200gf,SPST-N	SA	1
13-1-4	4	S0021	3405-001116	SWITCH-MICRO; 125/250VAC,1A,200gf,SPST-NO	SA	1
13-2	3		DE96-00937B	ASSY WIRE HARNESS-MAIN; 1.0 CONVECTION,FR	SA	1
13-3	3	W038	DE96-00924A	ASSY WIRE HARNESS-B; CE104VD,230V/50HZ,1.	SA	1
14	2	M034	DE67-60081A	COUPLER; 3RD-1.0/1.3,PPS,BROWN	SA	1
15	2	M005	DE61-70060A	SPRING-PLATE; SK5,T0.5	SNA	1
16	2	M036	4713-001524	LAMP-INCANDESCENT; 22x53,BK,20,230,CLEAR,	SA	1
17	2	M038	DE26-00152A	TRANS H.V; SHV-EPT10A,230V,2385V/3.45V,AL	SA	1
18	2	M495	DE31-10170B	MOTOR AC DRIVE; SM16FHK36P1AW3,8Pole,220V	SA	1
19	2	M054	DE32-10013A	SENSOR TEMP; 1.0Kohm	SA	1
20	2	M012	DE61-01529A	BRACKET HEATER; 1.1 CELLO,EGI-SECC,T0.8	SNA	1
21	2	M436	DE47-20009A	THERMOSTAT; AC125/250V,15/10A,150C,60C,Ac	SA	1
22	2	M035	OM75P(31)ESGN	ASSY-MGT; ASSY-MGT		1
23	2	M483	DE65-20014A	CABLE CLAMP; NY-66,DA-6N	SNA	1
24	2	M015	DE96-00385A	POWER CORD-AT; H05VV-F 3x1.5mm2,GRY,EU3S,	SA	1
25	2	M113	DE61-01531A	SUPPORT HEATER; 1.1 CELLO,ALUMINA,-,-	SA	1
26	2	M448	DE47-20017B	THERMOSTAT; AC125/250V,15/10A,150C,140C,H	SA	1

2. Assy Door


Exploded View



No.	Lvl.	Loc.	Material Code	Description & Specification	SNA	Qty.
1-2-5	3	D017	DE60-60008A	PIN HINGE; MSW,MSW10,MSW	SNA	2
1-3	2	D037	DE94-03132E	ASSY DOOR A; MC28H5015AS/EN,SILVER,PC,141	SA	1

3. Assy Control Box


Exploded View



1

4. Assy Cassing

Exploded View



No.	Lvl.	Loc.	Material Code	Description & Specification	SNA	Qty.
1-8	3	M436	DE47-20009A	THERMOSTAT; AC125/250V,15/10A,150C,60C,Ac	SA	1
1-9	3	P082	DE61-00956A	BRACKET MOTOR; CE1071AR/BWT,EGI-SECC,T1,1	SA	1
1-10	3	X009	6006-001176	SCREW-TAPTYPE; PH,+,WT,B,M4,L8,ZPC(WHT),S	SA	2